



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/696,378	10/25/2000	John Jianhua Chen	S63.2-9503	2980

490 7590 10/14/2004

VIDAS, ARRETT & STEINKRAUS, P.A.  
6109 BLUE CIRCLE DRIVE  
SUITE 2000  
MINNETONKA, MN 55343-9185

EXAMINER

HON, SOW FUN

ART UNIT	PAPER NUMBER
----------	--------------

1772

DATE MAILED: 10/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/696,378

Applicant(s)

CHEN ET AL.

Examiner

Sow-Fun Hon

Art Unit

1772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 28 July 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-26,31,33 and 36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-26,31,33 and 36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Response to Amendment*

#### *Withdrawn Rejections*


1. The 35 U.S.C. 102(b) and 103(a) rejections have been withdrawn due to Applicant's amendment dated 07/28/04.

#### *New Rejections*

#### *Claim Rejections - 35 USC § 103*

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claims 1-2, 12-14, 19, 24, 31, 33, 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rau et al. (WO 95/18647).

Regarding claims 1, 24, Rau has a balloon catheter (column 1, lines 1-5) which can be of integral catheter shaft/balloon construction (column 14, lines 1-5) comprising a plurality of fibers to provide reinforcement (column 8, lines 55-65). The balloon has a longitudinal axis as seen in Fig 2 below. The fibers (filaments) are aligned parallel along the balloon (structure) (column 15, lines 5-10) which is interpreted to mean that the fibers are oriented parallel to the longitudinal axis of the balloon.



Art Unit: 1772

Rau teaches that the balloons have wall thicknesses of about 8 microns to 80 microns (0.0003 – 0.003 inches) (column 11, lines 1-5). The fibers (filaments) are aligned parallel along the balloon (structure) (column 15, lines 5-10) and are embedded in the wall (column 16, lines 10-15). Hence the fibers have diameters smaller than the wall thickness, and in the range of less than 8 microns on the low end of the scale or less than 80 microns on the higher end of the scale, which qualifies them as micro-fibers as defined by Applicant's specification (filed 10/25/00). Applicant defines micro-fibers as typically having a diameter between 10-12 microns (Specification filed 10/25/00, page 7, lines 1-5). Thus the composite of Rau qualifies as a micro-composite, as defined by Applicant. The reinforcement provides for a dimensionally stable balloon.

Although Rau teaches that the polymer matrix of Rau's balloon made from thermoplastic polyimide (column 3, lines 15-20), Rau also teaches that it is possible to make balloons from other thermoplastics such as polyurethanes which are inherently elastomers, polypropylene which comprises homopolymers and copolymers, silicone polycarbonate copolymers which are species of polycarbonates, and copolyesters (column 1, lines 15-20) such as polyethylene terephthalate (column 2, lines 10-20) which is a species of phthalate polyester.


Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used polyurethane elastomers, polypropylene homopolymers and copolymers, polycarbonates and phthalate polyesters in place of the thermoplastic polyimide used by Rau, in order to obtain an alternate balloon with alternate material properties, as taught by Rau.

Regarding claim 2, Rau teaches a balloon catheter (abstract). Thus the balloon is mounted on a catheter.

Regarding claims 12-14, Rau teaches that the reinforcing fiber may comprise liquid crystal polymers (column 15, lines 1-5) (claim 14), and that liquid crystal polymers are rigid, rod-like (column 16, lines 25-30) (claim 12). Rau teaches that any other polymer material having a rod-like molecule, which imparts a tendency to align more readily during melt flow, may be used (column 17, lines 5-10). Thus the polymer material is thermoplastic (flows during melt) and can be semi-rigid-rod (claim 13).

Regarding claim 19, Rau teaches that the matrix component comprises a thermoplastic polymer which forms an inflatable balloon (column 10, lines 15-20). Thus the thermoplastic polymer is semi-compliant, being able to inflate, yet hold a balloon shape.

Regarding claim 31, Rau teaches that the balloon is inflatable (column 7, lines 1-5) (claim 31). The matrix component comprises a thermoplastic polymer which forms an inflatable balloon (column 10, lines 15-20). Thus the thermoplastic polymer is semi-compliant, being able to inflate, yet holds a balloon shape. Rau teaches that the reinforcing fiber may comprise liquid crystal polymers (column 15, lines 1-5), and that liquid crystal polymers are rigid, rod-like (column 16, lines 25-30). Being rigid, the liquid crystal core polymeric material has a bulk elongation less than the matrix material when oriented in the direction of the longitudinal axis. For good reinforcement, or strengthening of the matrix, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have provided liquid crystal polymer fibers which are stronger than the matrix material, in order to be reinforcing, and operatively adhere to the matrix material, in order to provide good load transfer.



Regarding claim 33, Fig. 2 of Rau above shows a balloon designed for radial expansion, not longitudinal expansion. Thus a balloon which longitudinally expands less than 5 % beyond its pre-inflation state, is the result of routine experimentation, by one of ordinary skill in the art at the time the invention was made.

Regarding claim 36, Rau teaches that the balloon may comprise a plurality of laminate layers (column 10, lines 10-20), at least one of which comprises said polymer matrix material and said fibers (reinforcing components) (column 14, lines 25-30). Thus it has a multilayer structure.

4. Claims 3-8, 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rau as applied to claims 1-2, 12-14, 19, 24, 31, 33, 36 above, and further in view of Zdrahala (US 5,248,305).

Rau has been discussed above and teaches the dimensionally stable balloon having a longitudinal axis and composed of a micro-composite material, the micro-composite material comprising a polymer matrix component and a liquid crystal polymer fibril component distributed in the polymer matrix component, the fibril component having micro-fibers oriented substantially parallel to the longitudinal axis of the balloon.

Regarding claims 3-7, Rau fails to teach the specific amounts of the liquid crystal polymer fibril/ thermoplastic blend.

Zdrahala teaches a catheter tubing which exhibits stiffness in the longitudinal direction as well as rotational stiffness where both may be varied along the length of the tubing (column 1, lines 55-70 and column 2, lines 1-5). The composition contains from 5 to 35 weight percent of the liquid crystal polymer fibril (column 5, lines 20-30) which overlaps the claimed range of about 0.1 to about 20 weight percent (claim 3) the narrower range of 0.5 to about 15 % (claim 5) and the narrowest range of 0.5 to about 8 % (claim 4); the balance of the composition being the 95 to 65 weight percent of the polymer base (matrix) component, which overlaps the claimed range of from about 99.9 to about 50 % (claim 6) and the narrower range of 99.5 to about 85 % (claim 7).

Regarding claim 8, Rau fails to teach the inclusion of a melt compatibilizer.

Zdrahala teaches that a surfactant may be provided (column 5, lines 25-30). A surfactant acts as a compatibilizer for two unlike components. Zdrahala teaches that the composition is processed in the melt (heated to form a mixture which although comprises two phases, is rather like an emulsion) (column 5, lines 40-50). Thus the surfactant is a melt compatibilizer.

Regarding claims 25-26, Rau fails to teach that the liquid crystal polymer fibers are oriented diagonally relative to the longitudinal axis of the balloon, and changes through the balloon material in a direction transverse to said longitudinal axis.

Zdrahala teaches that the liquid crystal fibers are distributed in the matrix material helically relative to the balloon axis (separate phase of liquid crystal plastic forms helical extending, separate fibrils within the extruded tubing with the fibers (fibrils) being dispersed in the structural plastic matrix) (column 5, lines 1-15). This means that the fibers are oriented

Art Unit: 1772

diagonally relative to the longitudinal axis of the balloon (claim 25), changing through the balloon material in a direction transverse to said longitudinal axis (claim 26).

Zdrahala teaches that the catheter tubing is for use in percutaneous transluminal coronary angioplasty (PCTA) ('305, column 1, lines 15-20). Rau teaches that the balloon catheter is used in angioplasty ('647, column 1, lines 1-5). Zdrahala provides the specifics for the process of forming the liquid crystal polymer fibril/thermoplastic catheter tubing ('305, column 6, lines 35-40). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used the specifics of the process of Zdrahala, in the formation of the tubular parison of Rau, in order to obtain a balloon catheter where the reinforcing liquid crystal polymer fibrils are provided with the desired orientation for use in angioplasty.

7. Claims 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rau as applied to claims 1-2, 12-14, 19, 24, 31, 33, 36 above, and further in view of Zdrahala (US 5,248,305) as evidenced by Yang (Polymer Data Handbook).

Rau has been discussed above and teaches the dimensionally stable balloon having a longitudinal axis and composed of a micro-composite material, the micro-composite material comprising a polymer matrix component and a liquid crystal polymer fibril component distributed in the polymer matrix component, the fibril component having micro-fibers oriented substantially parallel to the longitudinal axis of the balloon.

Rau fails to teach that the liquid crystal polymer (LCP) has a melting point of less than 250 °C.

Zdrahala teaches a catheter tubing comprising liquid crystal fibrils (column 1, lines 1-5) which exhibits stiffness in the longitudinal direction as well as rotational stiffness where both



Art Unit: 1772

may be varied along the length of the tubing (column 1, lines 55-70 and column 2, lines 1-5).

Zdrahala teaches that the liquid crystal polymer may be hydroxypropyl cellulose (column 4, lines 5-10). It is thermoplastic since it melts, and has the claimed melting point of Applicant, as evidenced by Yang.

Yang provides data showing that hydroxypropylcellulose has a melting point of 208 °C (481 K) (page 137 of the handbook, page 3 of the printout) which is within the claimed range of about 275 °C or less (claim 15), the claimed range of about 250 °C or less (claim 16), the claimed range of about 150 °C to 249 °C (claim 17) and the claimed range of about 230 °C or less (claim 18).

Zdrahala teaches that the catheter tubing is for use in percutaneous transluminal coronary angioplasty (PCTA) ('305, column 1, lines 15-20). Rau teaches that the balloon catheter is used in angioplasty ('647, column 1, lines 1-5). Zdrahala provides the specifics for the process of forming the liquid crystal polymer fibril/thermoplastic catheter tubing ('305, column 6, lines 35-40). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used the specifics of the process of Zdrahala, in the formation of the tubular parison of Rau, in order to obtain a balloon catheter where the reinforcing liquid crystal polymer fibrils are provided with the desired orientation for use in angioplasty.

8. Claims 20, 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rau, as applied to claims 1-2, 12-14, 19, 24, 31, 33, 36 above, and further in view of Zdrahala, as evidenced by Polymers (A Property Database).

Rau has been discussed above and teaches the dimensionally stable balloon having a longitudinal axis and composed of a micro-composite material, the micro-composite material

Art Unit: 1772

comprising a polymer matrix component and a liquid crystal polymer fibril component distributed in the polymer matrix component, the fibril component having micro-fibers oriented substantially parallel to the longitudinal axis of the balloon.

Rau fails to teach the claimed melting point of the matrix component.

Zdrahala teaches that the base polymer matrix component of the catheter tubing may be nylon 12, a polyamide (column 4, lines 15-35) which has the claimed melting point of Applicant, as evidenced by Polymers.

Polymers provides data showing that nylon 12 has a melting point range of from 169 °C to 187 °C, which is within the claimed range of about 140 °C to 265 °C (claim 20), the claimed range of about 150 °C to 230 °C (claim 22) and the claimed range of about 220 °C or less (claim 23).

Zdrahala teaches that the catheter tubing is for use in percutaneous transluminal coronary angioplasty (PCTA) ('305, column 1, lines 15-20). Rau teaches that the balloon catheter is used in angioplasty ('647, column 1, lines 1-5). Zdrahala provides the specifics for the process of forming the liquid crystal polymer fibril/thermoplastic catheter tubing ('305, column 6, lines 35-40). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used the specifics of the process of Zdrahala, in the formation of the tubular parison of Rau, in order to obtain a balloon catheter where the reinforcing liquid crystal polymer fibrils are provided with the desired orientation for use in angioplasty.

9. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rau in view of Zdrahala as applied to claims 1-2, 12-14, 19, 24, 31, 33, 36 above, as evidenced by Alger (Polymer Science Dictionary).

Art Unit: 1772

Rau fails to teach that the matrix component comprises a polyester-polyether block copolymer.

Zdrahala teaches a polyester elastomer such as HYTREL for the catheter tubing matrix material, which is a polyester-polyether block copolymer, as evidenced by Alger.

Alger defines HYTREL as a polyether-polyester block copolymer (page 255).

Zdrahala teaches that the catheter tubing is for use in percutaneous transluminal coronary angioplasty (PCTA) ('305, column 1, lines 15-20). Rau teaches that the balloon catheter is used in angioplasty ('647, column 1, lines 1-5). Zdrahala provides the specifics for the process of forming the liquid crystal polymer fibril/thermoplastic catheter tubing ('305, column 6, lines 35-40). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have used the specifics of the process of Zdrahala, in the formation of the tubular parison of Rau, in order to obtain a balloon catheter where the reinforcing liquid crystal polymer fibrils are provided with the desired orientation for use in angioplasty.

10. Claims 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rau as applied to claims 1-2, 12-14, 19, 24, 31, 33, 36 above, and further in view of Heino et al. (US 6,221,962).

Rau has been discussed above and teaches the dimensionally stable balloon having a longitudinal axis and composed of a micro-composite material, the micro-composite material comprising a polymer matrix component and a liquid crystal polymer fibril component distributed in the polymer matrix component, the fibril component having micro-fibers oriented substantially parallel to the longitudinal axis of the balloon.

Rau fails to teach a compatibilizer component in the micro-composite material.

Art Unit: 1772

Heino is directed to liquid crystal polymer blends wherein the liquid crystalline polymer forms fibers which orient in the flow direction of the thermoplastic matrix melt, improving the tensile strength and modulus of elasticity of the solidified matrix (column 1, lines 30-35). The compatibilizer (claim 8) for the blends can be a block copolymer (column 3, lines 1-15) (claim 9). An example is ethyl acrylate-eth(yl)ene-glycidyl methacrylate (column 7, lines 55-60) (claims 10-11). Heino teaches that the compatibilizer improves the impact, tensile and flexural strength properties of the blend (column 2, lines 25-30).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made, to have added the compatibilizer of Heino, to the liquid crystal polymer fibril/thermoplastic composition of Rau, in order to obtain a balloon catheter with improved impact, tensile and flexural strength, as taught by Heino.

### ***Response to Arguments***

5. Applicant's arguments with respect to claims 1-26, 31, 33, 36 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO**


Art Unit: 1772

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication should be directed to Sow-Fun Hon whose telephone number is (571)272-1492. The examiner can normally be reached Monday to Friday from 10:00 AM to 6:00 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon, can be reached at (571)272-1498. The fax phone number for the organization where this application or proceeding is assigned is (703)872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Sow-Fun Hon

10/13/04

  
HAROLD PYON  
SUPERVISORY PATENT EXAMINER  
1772

10/13/04